FILE NOTATIONS	<i>1</i>						
Entered in NID File Entered On S R Sheet Location Map Pinned Card Indexed	Cor Apr	cked by Chief by NID to Field Office proval Letter approval Letter					
COMPLETION DATA: Date Well Completed OW	A Bon	ation Inspected d released State of Fee Land	***************************************				
SIGW OS PA LOGS FILED Driller's Log 12-20-63 Efectric Logs (No.)							
Let Mi-L		GR-NN	Aicro				

TREND OIL COMPANY
1001 PETROLEUM BUILDING
714 W. OLYMPIO BLVD.
LOS ANGELES 15, CALIFORNIA

NEW ADDRESS
811 W. 7th Street
Cos Angeles 17, Calif,

November 15, 1963

Utah State Land Board 105 State Capitol Bldg. Salt Lake City, Utah

Re: Bryson Canyon

Well No. 8

Grand County, Utah

Gentlemen:

Enclosed please find copys of
Form 9-331a - Notice of Intention to Drill Well No. 8.

Very truly yours,

TREND OIL COMPANY

President

hwd:s enc.



Budget Bureau No. 42-R358.4. Form Approved.

Form 9-381 a (Feb. 1951)

(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Lease No. ML 3323
Unit BRYSON CANYON

NOTICE OF INTENTION TO DRILL		SUBSEQUENT REPORT OF WATER SHUT-OFF	
(INDICATE ABOVE BY CHECK N	IARK NAT	DRE OF REPORT, NOTICE, OR OTHER DATA) November 15	19 6

SESE NW1 Section 16 17S 24E SLM

(4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)

Bryson Canyon Grand Utah

(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 672.5 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

It is intended to run 150° of 9-5/8" surface casing cement circulating to surface and drill with 8-3/4" hole to 1950° and run 7" casing and cement 500° above shoe. It is planned to drill to the lower Morrison and complete through 4-1/2" long string if successful. Estimated tops: Castlegate 1775°, Dakota silt 5300°, Dakota formation 5405°, Morrison 5550°.

I understand that this plan of work must receive approval in writing by th	e Geological Survey before operations may be commenced.
Company Trend Oil Company 811 West 7th St., Room 402	
Address Los Angeles, Calif. 90017	By Aw Jougher
	TitlePresident

Suppl H. L. E. WELL LOCATION # 8 HWD. L Mec C SECTION IS T 17 S R 24 E SLBAM N 41) 0 WELL LOCATION ELEV. 6672.5 N 00 00 N SCALE (": 1000" WEST WESTERN ENGINEERS I, Richard J. Mandeville do hereby certify that WELL LOCATION this plat was plotted from notes of a field survey TREND OIL CO. made under my supervision on May 22, 1963. BRYSON CANYON NO. 8 GRAND COUNTY, UTAH DRAWN

Grand Junet | an. Colo.

OIL & GAS CONSERVATION COMMISSION OF THE STATE OF UTAH

DESIGNATION OF AGENT

The undersigned producer, operator, transporter, refiner, gasoline or initial purchaser who is conducting oil and/or gas operations in the State of Utah, does, pursuant to the Rules and Regulations, and Rules of Practice and Procedure of the Oil and Gas Conservation Commission of the State of Utah, hereby appoint, James B. Faust, whose address is 922 Kearns Building, Salt Lake Ci, Whis, her or its) designated agent to accept and to be served with notices from said Commission, or from other persons authorized under the Oil and Gas Conservation Act of the State of Utah.

The undersigned further agrees to immediately report in writing, all changes of address of the agent, and any termination of the agent's authority, and in the latter case, the designation of a new agent or agents shall be immediately made. This designation of agent, however, shall remain in full force and effect until and unless a new designation agent is filed in accordance with said statute and said regulations.

Effective Date of Designation October 15, 1963

Co	mpany Trend Oil Company	Address	811	West	7th	St.,	Room	402
			Los	Ange	les	17, C	alif.	-
Ву	avenghat	Title	Pres	ident				
	President Signature							

NOTE: Agent must be a resident of Utah.

November 20, 1963

Trend Oil Company 811 West 7th Street Los Angeles, California

Attention: H. W. Dougherty, President

Re: Notice of Intention to Drill Well No. BRYSON CANYON UNIT #8, 2028.8' FML & 1984.9' FWL, SE SE NW of Section 16, Township 17 South, Range 24 East, SLEM, Grand County, Utah.

Gentlemen:

Your Notice of Intention to Drill the above mentioned well has been forwarded to this office from the State Land Board.

Prior to spudding in you are requested to complete Form OGCC-6 "Designation of Agent", in accordance with Rule A-4, General Rules and Regulations and Rules of Practice and Procedure, Utah State Oil and Gas Conservation Commission, and return to this office.

Also, we would like to advise you that a bond must be furnished to the State Land Board, even though Section 16 is committed to the Bryson Canyon Unit.

Very truly yours,

OIL & GAS CONSERVATION COMMISSION

CLEON B. FEIGHT EXECUTIVE DIRECTOR

CBF:kgw

cc: Donald G. Prince State Land Board Salt Lake City, Utah

Enclosure

TREND OIL COMPANY
1001 PETROLEUM BUILDING
714 W. OLYMPIC BLVD.
LOS ANGELES 15, CALIFORNIA

NEW ADDRESS
811 W. 7th Street
LOS Angeles 17, Calif.

November 20, 1963

State of Utah
Oil & Gas Conservation Commission
310 Newhouse Building
Salt Lake City, Utah

RE: ML 3323

Gentlemen:

Enclosed please find \$5,000 drilling Bond No. 250672 covering ML 3323. We have already filed our Notice of Intention to Drill Well No. 8 with the Utah State Land Board. For your information we are enclosing plat showing location of Well No. 8.

Kindly advise this office if all requirements have not been met.

Very truly yours,

Trend Oil Company

Dy

Secretary

ks enc. air mail

IJ

TREND OIL COMPANY 1001 PETROLEUM BUILDING 714 W. OLYMPIC BLVD. Los Angeles 15, California Los Angeles 17, Calif.

NEW ADDRESS 811 W. 7th Street

November 21, 1963

Mr. Cleon B. Feight, Executive Director Utah Oil & Gas Conservation Commission 310 Newhouse Building 10 Exchange Place Salt Lake City 11, Utah

RE: Well No. 8

Dear Mr. Feight:

In response to your letter of November 20, 1963, enclosed please find executed "Designation of Agent" which has been completed in duplicate.

Regarding the \$5,000.00 drilling bond said bond was forwarded to your office yesterday.

Kindly advise this office if anything else is required to meet all requirements.

Very truly yours,

TREND OIL COMPANY

ks enc.

air mail

November 26, 1963

Trend Oil Company 811 West 7th Street Room 402 Los Angeles 17, California

Attention: President

Re: Well No. Bryson Canyon Unit #8 Sec. 16, T. 17 S, R. 24 E., Grand County. Utah

Gentlemen:

We are in receipt of your Bond No. 250672 for the above mentioned well. However, this lease is on state land and therefore, the enclosed bond forms will have to be executed and returned to the State Land Board, 105 State Capitol Building, Salt Lake City, Utah.

Also, upon receiving your designation of agent forms we note that you designated Mr. John D. Rice. Mr. Rice passed away last month, and we might suggest you designate Mr. Graham S. Campbell, as we understand he handles some of your affairs.

Incidentally, herewith is your bond.

Very truly yours,

OIL & GAS CONSERVATION COMMISSION

CLARELLA N. PECK RECORDS CLERK

emp

Enclosure

UNITED STATES

(See other in-

Form approved. Budget Bureau No. 42-R355.5.

		MENT OF			₹	structions reverse si	on 5. LEASE DESIGN	TATION AND SERIAL N
·	G	EOLOGICAL	SURVEY				ML 3323	
WELL CO	MPLETION	OR RECOMP	LETION I	REPORT	AND	LOG*	6. IF INDIAN, AL	LOTTER OR TRIBE NAM
1a. TYPE OF WEL			DRY	Other			7. UNIT AGREEM	ENT NAME
b. TYPE OF COM	PLETION:							
NEW WELL	WORK DEEP-	PLUG BACK	DIFF. RESVR.	Other			S. FARM OR LEA	
2. NAME OF OPERAT					÷ 1		9. WELL NO.	anyon
Trend 011 3. ADDRESS OF OPER					- 1 		8	
811 West	7th Street;	Los Angeles	17, Cali	fornia			10. FIELD AND P	OOL, OR WILDCAT
4. LOCATION OF WEI	LL (Report location	clearly and in accor	dance with an	y State requir	rements)	•	110	I., OR BLOCK AND SURVE
				:			NV 1/1 Be	a 14
At top prod. into	erval reported belo	W		· · · · · · · · · · · · · · · · · · ·				24 2, 81M
At total depth					1			
		1	4. PERMIT NO.	1	11/2		PARISH	13. STATE
5. DATE SPUDDED	16. DATE T.D. REA	CHED 17. DATE CO	APL. (Ready t	o prod.) 18	<u> </u>		Grand. SB, RT, GB, ETC.)* 18	elev. casing pad
11/20/63	11/25/63	11/27	/63	,	6680			6672.5
0. TOTAL DEPTH, MD		BACK T.D., MD & TVD	22. IF MUL HOW M	TIPLE COMPL.	•	23. INTERVAL DRILLED		CABLE TOOLS
5492	1783	OMPLETION—TOP, BOT	TOM NAME (AND TUD)*			X	-25. WAS DIRECTIONAL
		JMPLETION—TOP, BU	TOM, NAME (AD AND IVD)	, 2			SURVEY MADE
Castlegat	e sena				역 : 항라 구			
6. TYPE ELECTRIC A		N				· · · · · · · · · · · · · · · · · · ·	·	WAS WELL CORED
McCulloug	<u>h</u>					.773		No
S. CASING SIZE	WEIGHT, LB./FT		RECORD (Rep	ort all strings	8 8et in 1		NG RECORD	AMOUNT PULLED
9 5/8	36	171.43	12	1/4"	28	100 #	acks	Hose
7	23	1820		3/4"		105 .	acks	Hone
				<u>.</u>				<u> </u>
9.	L	NER RECORD				30.	TUBING RECORD	
SIZE	TOP (MD)	SOTTOM (MD) SAC	KS CRMENT*	SCREEN (M	D)	SIZE	DEPTH SET (MD)	PACKER SET (MD)
					2	3/8"	1725*	
1. PERFORATION REC	ORD (Interval. size	and number)	1.4	82.	ACTO	SHOT ED	ACTURE CEMENT SC	STEPPE PTC
1688 - 169		3 - 1707		DEPTH INT			AMOUNT AND KIND OF	**************************************
1712 - 171		5 - 1729			38 1			
1752 - 173	16				. 4			
,		'a-			3 F			
3.*			PROI	DUCTION	+			
ATE FIRST PRODUCTI	ION PRODUC	TION METHOD (Flow)			and typ	e of pump)	WELL STA	TUS (Producing or
11/27/63		flow	·					but la
ATE OF TEST	HOURS TESTED		PROD'N. FOR TEST PERIOD	OIL-BBL.	24 T 54	gas-mcf. O	WATER BBL.	GAS-OIL RATIO
11/27/63 LOW. TUBING PRIMES.	CASING PRESSURE		DIL—BBL.	GAS	, N	WAT	ER—BBL. OIL	GRAVITY-API (CORR.)
20#	60	24-HOUR RATE		7	0	1		
4. DISPOSITION OF G	AS (Sold, used for fi	iel, vented, etc.)			-3		TEST WITNESSED	BY
5. LIST OF ATTACHE	MENTS	•••• ••••		<u> </u>			V. E. Per	
C. MONE ON MILECULA				3	M.			
6. I hereby certify	that the foregoing	and attached inform	ation is comp	lete and corre	ect as d	etermined fr	om all avallable recor	ds
SIGNED M	1 Coughe	X	mrm+ w		2 N 20 1		DATE	19/10/49
DIGHTD / /		<u> </u>	TIPLE	Uragid	ent-			LE/ 14/ US

NSTRUCTIONS

or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office. See instructions on items 22 and 24, and 33, below regarding separate reports for separate completions. General: This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal agency or a State agency.

If not the control of the control of

SHOW ALL IMPORDED DEPTH INTERVAL	SHOW ALL IMPORTANT ZONES OF POROSITY AND CONTENTS THEREOF, DEPTH INTERVAL TESTED, CUSHION USED, TIME TOOL OPEN, FLOWING	USED, TIME TOOL O	TES THEREOF, COKED INTERVALS; AND ALL DRILL-SIEM TESTS, INCLUDING PEN, FLOWING AND SHUT-IN PRESSURES, AND RECOVERIES	oo.	GEOLOGIC MANAENS	
FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.		TOP	
				W W W	MEAS. DEPTH	TRUE VERT. DEPTH
Meseverde	0 1760	1760 5360	Sand & Shale Shale			
Dakota Silt Dakota	5360	5425	Silty Sand			
Buckhorn	5425	2645	Sand & Shale			
This hole was air drilled to Total Depth Water encountered at 5425'.	air drilled red at 5425	to fotal D	epth			
						,
٠.						
DE						
C.	40					
	1969					3
	}					
			2			

WILLARD PEASE DRILLING CO.

Box 1532 2457 Durham St. Ph. 242-6912 GRAND JUNCTION, COLORADO

2 December 1963

Junglithmas Jung

Trend Oil Company 811 West 7th Street Los Angeles 17, California

Attn: Mr. Bill Dougherty

Dear Bill:

The Bryson Canyon Unit #8 well was spudded on 15 November 1963. A 12 1/4" hole was drilled to 175' K. We ran and cemented five joints of 9 5/8", 36 lb casing, cementing with 100 sacks of regular cement, 2 % calcium chloride. The pipe was set at 171.43' KB.

An $8\ 3/4$ " hole was drilled to 1820'. We ran and cemented 59 joints of 7" casing OD 23 lb, cementing with 105 sacks of regular cement, 2% calcium chloride, on 19 November 1963. The plug was down at 11 p.m.

A 6 1/4" hole was drilled to 5492 - TD. We encountered gas at 5425' drilling to 5433' at 6:30 a.m. on 25 November 1963. We tested from 6:30 a.m. to 8:45 a.m. and had water to surface at 9:15 a.m. We continued to drill to the total depth of 5492' at which time we had so much water we could not continue to drill. I then contacted Mr. D. F. Russell in Salt Lake City and got plugging instructions. The plugging was as follows:

A 30 sack plug was set from 5400' to 5220'. The well was then filled with mud to the base of the 7" casing. A bridge plug was placed at 1811'. A 5 sack cement plug was placed at 1811' to 1783'.

The well was then perforated by McCullough tool Co. with two shots per foot from 1688' to 1695', from 1703' to 1707', from 1712' to 1717', from 1725' to 1729' and from 1732' to 1736'. We then ran 59 joints of 2 3/8" tubing to 1725'. The well was swabbed in and the rig was released at 7:00 p.m. on 26 November 1963.

The well at the present time is shut in with 180 lbs of shut in pressure and will gauge 70,000 CFM. It will be necessary for us to either frac the castlegate or break the formation down with acid in order to have enough gas to market.

I will discuss this with ${\tt Mr.}$ Hogle and company and keep you advised.

Yours truly,

WILLARD PEASE DRILLING CO.

By Willard Heave

WHP/1rb

cc Mr. Neil D. McCarthy 424 South Beverly Drive Beverly Hills, California

> J. A. Hogle & Co. 132 S. Main Salt Lake City, Utah Attn: Mr. Tom Ivers

PS We are rigging up on the #7A today - 2 December 1963. The well will be spudded on 3 December 1963.

	GAIVII	-		4 3 XX			A CONTRACTOR OF THE PARTY OF TH
ILING NO.	COMPANY.	TREND O	IL CO	MPANY			
	WELL	BRYSON	CANYO	N #8			The second second second
	FIELD	WILDCAT	<u> </u>				-
	COUNTY	GRAND		57	ATE	UTAH	
	LOCATION					OTHER	SERVICES
		antido sirvita.					i
	SEC.	16 TWP.	178	RGE.	24E		VATIONS:
PERMANENT DATUM (TO THE	r intro	ELEV.			кв	
LOG MEASURED FROM	4 K. B. !			RMANER	II DATOM	DF	
DRILLING MEASURED	FROM	Tr • Do				101.	
DATE		11-19-63					
RUN NO.		1					
TYPE LOG		G-N					
DEPTH-DRILLER		18213					
DEPTHLOGGER		18213					-
BOTTOM LOGGED INT		1820					
TOP LOGGED INTERV		170'					
TYPE FLUID IN HOLE		WATER					
SALINITY PPM CL							
DENSITY LB./GAL.							
LEVEL		17700					
MAX. REC. TEMP. DEG.	F	r mos		······································			
OPR. RIG TIME		5 IIIS.					
RECORDED BY		MR A BAK	12B				
WITNESSED BY		AIIX = LIMA	1411				
PODE	HOLE RE	CORD		C	SING RE	CORD	
	ROM	то	SIZE	WGT.	FROM		TO
NO. BIT	NO.		9-5/8	3	0 0		171'
	-11	1820' 0	PEN I	ULE			
2 8-3/4 1	-	A Y				<u> </u>	
				ļ			
				-			
					Ì	1	

TREND OIL COMPANY

412 STATLER CENTER BUILDING Los Angeles 17, California

811 W. 7th Street Los Angeles 17, Calif.

December 18, 1963

The State of Utah Oil & Gas Conservation Commission 310 Newhouse Bldg. 10 Exchange Place Salt Lake City 11, Utah

> Well No. 8 - Bryson Canyon Unit Re:

ML 3323

Grand County, Utah

Gentlemen:

Enclosed, in duplicate, please find the following:

Well Completion Report completed on Form 9-330

McCullough Scintillometer, Nuclear, Gamma Ray-Neutron Log.

Very truly yours,

TREND OIL COMPANY

By

Secretary

ks enc.

Form 3160-5 (November 1983) (Formerly 9-331)	UNITED S DEPARTMENT S BUREAU OF LAND	THE INTERIO	SUBMIT IN TRIPE (Other instructions) R verse side)	5.	Empires August Expires August Léase designation ML-3323 IF INDIAN, ALLOTTEE	31, 1985 AND BERIAL NO. 5GU
SUN (Do not use this	DRY NOTICES AND form for proposals to drill or use "APPLICATION FOR PE	REPORTS Of the deepen or plug had RMIT" for such pro-	N WELLS to a different reservol	ır.		2725
OIL GAS WELL WELL 2. NAME OF OPERATOR	X OTHER		007 1007	2 71	Bryson Cany	on
TREND OIL CO	MPANY		OCT 1 € 1987	9.	State	<u> </u>
3. ADDRESS OF OPERATOR 2234 E. COlo 4. LOCATION OF WELL (R. See also apace 17 belo At surface	rado Boulevard, Pa	sadena, Calif	orn brubidade Biligas & Minin	G 1	No. 8 FIELD AND FOOL, OR BRYSON CANYO BEC., T., B., M., OR B BURYET OR AREA	n Castlegat
2029'	FNL: ; 1985' FWL	Section 8			Eanwa Sec. 🖠	ے T175-R24I -
14. PERMIT #0.	.10013 6673	' DF	T, GR, etc.)	12	Grand	13. STATE Utah
16.	Check Appropriate Bo	ox To Indicate Na	ture of Notice, Repo			
TEST WATER SHUT-OF FRACTURE TREAT SHOOT OR ACIDIZE REFAIR WELL (Other) Extension of proposed work. If nent to this work.) Trend Oil Corstatus for the does not have	MULTIPLE COMI ABANDON* CHANGE PLANS ON OF TEMPORARY AL COMPLETED OPERATION COMMILES well is directionally drilled.	pan- X an hate all pertinent give subsurface location sts a one-year at No. 8 Ca to flow again	r extension of stlegate Well.	rt results of a r Recompletion and dates. Include vertical de	ALTERING TO ALTERING TO ALTERING CA ADANDONMEN TO REPORT and Log for uding estimated date of the pths for all markers corary abandont legate form ressures. Tressor when the alternation of the pths for all markers the pths	on Well on Well on of starting any and zones perti- onment nation cend the
SIGNED	the foregoing is true and core		ulting oleum Engineer		DATE Octobe	er 14, 1987
(This apace for Fede	ral or State office use)	TITLE		APPROV	/EDVBY_THE	STATE
APPROVED BYCONDITIONS OF A	PPROVAL, IF ANY:	IIIDF			AH DIVISIO	DN! OF

*See Instructions on Reverse Side DXTE 10-22-87

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

17. DESCRIBE PROP proposed we nent to this	ork. If well is dire	OPERATIONS (Clearly state all per ctionally drilled, give subsurface	rtinent details, and give pertinent de locations and measured and true vo	ates, including estimated date of starting any ertical depths for all markers and zones perti-
REPAIR WELL (Other) Ex	kt. of shut-i	n status X	(Other)(Note: Report re Completion or Rec	sults of multiple completion on Well completion Report and Log form.)
SHOOT OR ACI	IDIZE	ABANDON*	SHOOTING OR ACIDIZING	ABANDON MENT*
FRACTURE TRI	1-1	MULTIPLE COMPLETE	WATER SHUT-OFF FRACTURE TREATMENT	ALTERING CASING
TEST WATER	SHUT-OFF	PULL OR ALTER CASING	WATER SHUT-OFF	REPAIRING WELL
	NOTICE OF IN			SSEQUENT REPORT OF:
16.	Check A	Appropriate Box To Indica	ate Nature of Notice, Report,	or Other Data
<u>43-019-</u>	16213	6673' DF		Grand Utah
14. PERMIT NO.	1 (2 (2	15. ELEVATIONS (Show wheth	her DF, RT. GR, etc.)	12. COUNTY OR PARISH 13. STATE
				SE¼NW¼, Sec.16: T17S-R
2029.	FNL, 1985	FWL, Section 8		11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA CEINIMI Co. 10. T170 D
At surface	,	FW 6		Bryson Canyon Castlegat
	VELL (Report locatio	n clearly and in accordance with		10. FIELD AND POOL, OR WILDCAT
		Ave., #550, Pasade	na. CA 91101	No. 8
ADDRESS OF OR				State 9. wall No.
Trend C	Dil Company			8. FARM OR LEASE NAME
WELL L	WELL X OTHER	"Annual S	Status Report"	Bryson Canyon
	a.s. 55.	!! 1	Status Banantii	7. UNIT AGREEMENT NAME
(Do not u	ise this form for pro Use "APPL	posais to drill or to deepen or i ICATION FOR PERMIT—" for a	plug back to a different reservoir. such proposals.)	
		OTICES AND REPORT		
			· · · · · · · · · · · · · · · · · · ·	6. IF INDIAN, ALLOTTEE OR TRIBE NAME
	DLI AIX	GEOLOGICAL SURVE		ML-3323
		TMENT OF THE INT	SUBMIT IN TRIPLICA (Other instructions on verse side)	Budget Bureau No. 42-R1424. 5. LEASE DESIGNATION AND SERIAL NO.

DATE ____

(This space for Federal or State office use)

APPROVED BY ______CONDITIONS OF APPROVAL, IF ANY:

TREND OIL COMPANY P. O. BOX 1288 MONROVIA. CA 91017-1288

February 16, 1993

State of Utah Dept. of Natural Resources 355 West North Temple 3 Triad Center, Suite 350 Salt Lake City, Utah 84180-1203

> Re: Bryson Canyon Unit Castlegate Wells Township 17 South, Range 24 East Grand County, Utah

Gentlemen:

Enclosed are the Annual Status Reports of the Shut-in and Temporarily-abandoned wells (in duplicate) for the referenced wells in the Bryson Canyon Unit.

Well		Location	Lease
Bryson Canyon Unit No.	7Λ 8 10 11	SE SW Section NW SW Section 9 SE NW Section SW NW Section 9 NW NW Section 16 SE SW Section 8	U-026

Sincerely,

AL. Catt

Dottic L. Catt Accountant

BECEIVED

FEB 1 9 1993

DIVISION OF OIL GAS & MINING

STATE OF UTAH

SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill new wells, deepen existing wells, or to reenter plugged and abandoned wells. Use APPLICATION FOR PERMIT TO DRILL OR DEEPEN form for such proposals. 1. Type of Well: OIL GAS OTHER: "Annual Status Report" 8. Well No.	e Designation and Serial Number: IL3323 Ilan, Allottee or Tribe Name: Agreement Name: ryson Canyon Name and Number: 0. 8 Well Number: 11916213
Do not use this form for proposals to drill new wells, deepen existing wells, or to reenter plugged and abandoned wells. Use APPLICATION FOR PERMIT TO DRILL OR DEEPEN form for such proposals. 1. Type of Well: OIL GAS OTHER: "Annual Status Report" 8. Well	Agreement Name: ryson Canyon Name and Number: 0. 8 Well Number:
Do not use this form for proposals to drill new wells, deepen existing wells, or to reenter plugged and abandoned wells. Use APPLICATION FOR PERMIT TO DRILL OR DEEPEN form for such proposals. 1. Type of Well: OIL GAS OTHER: "Annual Status Report" 8. Well No	ryson Canyon Name and Number: D. 8 Well Number:
1. Type of Well: OIL GAS OTHER: "Annual Status Report" 8. Well No.	Name and Number: O · 8 Well Number:
"Annual Status Report" No	O . 8 Well Number:
O ANN	*
	d and Pool, or Wildcat: yson Canyon Castlegate
4. Location of Well	
Footages: 2029' FNL, 1985' FWL, SEction 8 County:	Grand
QQ, Sec., T., R., M.: SE ¹ ₄ NW ¹ ₄ , Sec. 16: T17SR24E State:	Utah
11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR	OTHER DATA
NOTICE OF INTENT (Submit in Duplicate) SUBSEQUENT R (Submit Original For	
Abandonment New Construction Abandonment Devices Devic	New Construction
☐ Casing Repair ☐ Pull or Alter Casing ☐ Casing Repair ☐ I	Pull or Alter Casing
☐ Change of Plans ☐ Recompletion ☐ Change of Plans ☐ S	Shoot or Acidize
☐ Conversion to Injection ☐ Shoot or Acidize ☐ Conversion to Injection ☐ \(\)	Vent or Flare
☐ Fracture Treat ☐ Vent or Flare ☐ Fracture Treat ☐ V	Water Shut-Off
☐ Multiple Completion ☐ Water Shut-Off ☐ Other	
TXOther Extension of Shut-in Status	
Date of work completion	
Approximate date work will start Report results of Multiple Completions and Recompl	letions to different reservoirs on WELL
COMPLETION OR RECOMPLETION AND LOG form,	
* Must be accompanied by a cement verification report.	
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates. If well is directionally drilled, give substance vertical depths for all markers and zones pertinent to this work.) Trend Oil Company request a one-year extension for the shut-in substance will #8. Current gas prices at the wellhead make this low-volume commercial. This well will remain shut-in until gas prices increase considerably.	status for well non-
	RECEIVED
y	FEB 1 9 1993
	DIVISION OF OIL GAS & MINING
13.	_
Name & Signature: D. L. Catt J. L. Catt Title: Accountant	Date: 2-15-93

(This space for State use only)